

RECTANGULAR SINGLE TAGS

TAG

11



● Max. No. of Lines: 2 Max No. of Characters Per Line: 19

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-
4RL	4	-	.062" x .400"

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q

TAG

12



● Max. No. of Lines: 3 Max No. of Characters Per Line: 22

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O

TAG

13



Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
128	1	.281"	-

●●● Material Options: B, C, F, H, I, J, K, L, N, O, Q

TAG

14



● Max. No. of Lines: 4 Max No. of Characters Per Line: 27

Order Code	# of Holes	Hole Size	Slot Size
125	1	.250"	-

●●● Material Options: I, J, K, L

TAG

15




● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
121	1	.218"	-

●●● Material Options: B, C, F, H, I, J, K, L, N, O, Q

TAG

16




● Max. No. of Lines: 4 Max No. of Characters Per Line: 27

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
125	1	.250"	-
137	1	.375"	-
215	2	.156"	-
225	2	.250"	-
420	4	.200"	-
4RL	4	-	.062" x .400"

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q

TAG

17



● Max. No. of Lines: 4 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
115	1	.156"	-
125	1	.250"	-
212	2	.125"	-

●●● Material Options: B, C, F, H, I, J, N, O, Q

TAG

18



● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-
212	2	.125"	-

●●● Material Options: B, C, F, H, I, J, K, L, N, O, Q

NOTE: Characters Per Line are based on a 4mm Font Size.

- - SmartTag 2500 compatible
- - SmartTag 1000 compatible
- - SmartTag 500 compatible
- - HAY-40B compatible
- - MobileTag 600 compatible

See page 7 for Material Options description



RECTANGULAR SINGLE TAGS



Military Dog Tag

(Rolled Edge)




TAG 19

● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
114	1	.140"	-
214	2	.140"	-
2RL	2	-	.062" x .400"

●●● Material Options: F,H,K,L




TAG 23

● Max. No. of Lines: 7 Max No. of Characters Per Line: 26

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
115	1	.156"	-
125	1	.250"	-
137	1	.375"	-
212	2	.125"	-
215	2	.156"	-
225	2	.250"	-
1LG	1	-	.125" x .500"
4RL	4	-	.062" x .400"

●●● Material Options: B,C,D,E,H,I,J,K,L,M,N,O,Q



TAG 20

● Max. No. of Lines: 6 Max No. of Characters Per Line: 29

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
121	1	.218"	-
221	2	.218"	-

●●● Material Options: 0



TAG 24

● Max. No. of Lines: 7 Max No. of Characters Per Line: 24

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q



TAG 21

● Max. No. of Lines: 6 Max No. of Characters Per Line: 29

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
122	1	.220"	-

●●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



TAG 25

● Max. No. of Lines: 8 Max No. of Characters Per Line: 25

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188"	-
215	2	.156"	-
218	2	.188"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q




TAG 22

● Max. No. of Lines: 7 Max No. of Characters Per Line: 21

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
156	1	.156"	-
212	2	.125"	-
215	2	.156"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q

RECTANGULAR SINGLE TAGS




**TAG
26**

● Max. No. of Lines: 8 Max No. of Characters Per Line: 25

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
109	1	.093"	-
115	1	.156"	-
118	1	.188"	-
125	1	.250"	-
128	1	.281"	-
150	1	.500"	-
209	2	.093"	-
215	2	.156"	-
221	2	.216"	-
225	2	.250"	-
420	4	.200"	-
425	4	.250"	-
2TN	2	-	.188" x .063"

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O



**TAG
28**

● Max. No. of Lines: 9 Max No. of Characters Per Line: 22

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-
HLG	1	-	.125" x .500" <i>Luggage Slot</i>

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q



**TAG
27**

● Max. No. of Lines: 9 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-

●●●● Material Options: B, C, F, H, I, J, K, L, N, O, Q



**TAG
29**

● Max. No. of Lines: 10 Max No. of Characters Per Line: 24


Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188" (corner)	-
120	1	.203" (corner)	-
125	1	.250" (centered)	-
137	1	.375" (centered)	-
150	1	.500"	-
215	2	.156"	-
225	2	.250"	-
415	4	.156"	-
1LG	1	-	.125" x .500"
2TN	2	-	.188" x .063"

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q


NOTE: Characters Per Line are based on a 4mm Font Size.

- - SmartTag 2500 compatible
- - SmartTag 1000 compatible
- - SmartTag 500 compatible
- - HAY-40B compatible
- - MobileTag 600 compatible

See page 7 for Material Options description



RECTANGULAR SINGLE TAGS



2.82" x 3.75"
(25.4mm x 50.8mm)

TAG 30

● Max. No. of Lines: 12 Max No. of Characters Per Line: 26

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
125	1	.250"	-
215	2	.156"	-
225	2	.250"	-
415	4	.156"	-

●● Material Options: B, C, D, E, F, K, L, M, N, O, Q



1.96" x .79"
(49.8mm x 20mm)

TAG 50

● Max. No. of Lines: 1 Max No. of Characters Per Line: 15

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
1SL	1	-	.039" x 3.15"

●●● Material Options: B, I, J, K



1.77" x .63"
(44.6mm x 16mm)

TAG 51

● Max. No. of Lines: 2 Max No. of Characters Per Line: 15

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
2SL	2	-	.059" x .334"

●●●● Material Options: B, I, J, K



2.87" x 4.00"
(72.9mm x 101.6mm)


TAG 31

● Max. No. of Lines: 13 Max No. of Characters Per Line: 33

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188" *	-
215	2	.156"	-

●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q

* Centered on 4" Side



3.15" x .79"
(80mm x 20mm)

TAG 52

● Max. No. of Lines: 3 Max No. of Characters Per Line: 20

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
123	1	.236"	-

●●● Material Options: B, I, J, K




3.35" x .70"
(85mm x 17.8mm)

TAG 53

● Max. No. of Lines: 2 Max No. of Characters Per Line: 18

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
4RL	4	-	.078" x .354"

●●● Material Options: B, I, J, K



3.50" x 1"
(88.9mm x 25.4mm)

TAG 54

● Max. No. of Lines: 4 Max No. of Characters Per Line: 25


Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
2VSL	2	.078"	.118" x .550"

●●● Material Options: B, I, J, K

NOTE: Characters Per Line are based on a 4mm Font Size.

- - SmartTag 2500 compatible
- - SmartTag 1000 compatible
- - SmartTag 500 compatible
- - HAY-40B compatible
- - MobileTag 600 compatible

See page 7 for Material Options description














To Order: US Toll Free: 877-785-8437 • www.Hayata.com • sales@Hayata.com

How to Order Your Hayata Blank Tags

Which Tags for your embossing unit?

- - SmartTag 2500 compatible
- - SmartTag 1000 compatible
- - SmartTag 500 compatible
- - HAY-40B compatible
- - MobileTag 600 compatible



Tag Material	Metal Options	Thickness (in)	Order Code	Anodized Colors	
Mill Finished Aluminum (3003)		.010	A		
Mill Finished Aluminum (3003)		.016	B		
Mill Finished Aluminum (3003)		.025	C	Red = RD	Green = GR
Tin Plate Steel #25 Matte		.015	D		
Galvanized Steel Soft Temper		.015	E	Blue = BL	Light Blue = LB
Brass (260 Cartridge Brass)		.016	F		
Stainless Steel (304 Dull)		.012	G		
Stainless Steel (304 Dull)		.014	H	Violet = VT	Yellow = YL
Stainless Steel (304 Dull)		.015	I		
Stainless Steel (304 Bright)		.015	J	Orange = OR	Brown = BR
Stainless Steel (316 Dull)		.015	K		
Stainless Steel (430 Bright)		.015	L		
Stainless Steel (Painted Black 1-side)		.015	M	Clear = CL	Black = BK
Anodized Aluminum (5005)		.016	N	RD, GR, BL, LB, YL, OR, BR, BK, CL	
Anodized Aluminum (5005)		.032	O	RD, GR, BL, VT, YL, OR, BK	
Anodized Aluminum (5205)		.016	P	BK Only	
Anodized Aluminum (5005)		.025	Q	Call for Color Options	

