













## How to Order Your Hayata Blank Tags



## Which Tags for your embossing unit?

- - SmartTag™ 4500 & 2500 compatible
- - SmartTag™ 1100 compatible
- - HAY-40B compatible
- - MobileTag™ 600 compatible




Tag Material Metal Options	Thickness (in)	Order Code	Anodized Colors	
Mill Finished Aluminum (3003)	.010	A		
Mill Finished Aluminum (3003)	.016	B		
Mill Finished Aluminum (3003)	.025	C	Red = RD	Green = GR
Tin Plate Steel #25 Matte	.015	D		
Galvanized Steel Soft Temper	.015	E	Blue = BL	Light Blue = LB
Brass (260 Cartridge Brass)	.016	F		
Stainless Steel (304 Dull)	.012	G	Violet = VT	Yellow = YL
Stainless Steel (304 Dull)	.014	H		
Stainless Steel (304 Dull)	.015	I	Orange = OR	Brown = BR
Stainless Steel 304 Dull	.020	R		
Stainless Steel (304 Bright)	.015	J	Clear = CL	Black = BK
Stainless Steel (316 Dull)	.015	K		
Stainless Steel (430 Bright)	.015	L		
Stainless Steel (Painted Black 1-side)	.015	M		
Anodized Aluminum (5005)	.016	N	RD, GR, BL, LB, YL, OR, BR, BK, CL	
Anodized Aluminum (5005)	.032	O	RD, GR, BL, VT, YL, OR, BK	
Anodized Aluminum (5205)	.016	P	BK Only	
Anodized Aluminum (5005)	.025	Q	Call for Color Options	

# T-SERIES EASY ENTRY™ 316 STAINLESS STEEL TAGS

Hayata Easy Entry™ tags are made with a raised area on both sides to allow for easy insertion of stainless steel cable ties, thus allowing the tag to sit flush against a cable or pipe.

Workers appreciate how much faster the tags can be installed with the Easy Entry feature.

The T8919 and T5119 are designed to work with the SmartTag™ 4500 which can produce 450+ embossed one-line tags per hour or more than 180 three-line tags per hour.



Max. No. of Lines: 3 Max No. of Characters Per Line: 11  
● Works with SmartTag™ 4500



Max. No. of Lines: 3 Max No. of Characters Per Line: 23  
● ● Works with SmartTag™ 4500 & 1100

Hayata Part No.	Length		Width		Thickness	
	In	mm	In	mm	In	mm
T-5119	2.00	51	0.75	19	0.015	0.26
T-8919	3.50	89	0.75	19	0.015	0.26

● ● Material: 316 Stainless Steel – uncoated

**NOTE:** Characters Per Line are based on a 4mm Font Size.

## What Other Tags Work ● With Hayata's SmartTag Machines?

- Look for these tag page icons:
- - SmartTag™ 4500 & 2500 compatible
  - - SmartTag™ 1100 compatible

Information for maximum number of lines and characters is identified with each eligible tag.

**NOTE:** Characters Per Line are based on a 4mm Font Size.

## RECTANGULAR SINGLE TAGS

**TAG**

**11**

● Max. No. of Lines: 2 Max No. of Characters Per Line: 19

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-
4RL	4	-	.062" x .400"

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q



**TAG**

**12**

● Max. No. of Lines: 3 Max No. of Characters Per Line: 22

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O



**TAG**

**13**

● Max. No. of Lines: 3 Max No. of Characters Per Line: 22

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
128	1	.281"	-

●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**TAG**

**14**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 27

Order Code	# of Holes	Hole Size	Slot Size
125	1	.250"	-

●●● Material Options: I,J,K,L



**TAG**

**15**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
121	1	.218"	-

●●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**TAG**

**16**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 27

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
125	1	.250"	-
137	1	.375"	-
215	2	.156"	-
225	2	.250"	-
420	4	.200"	-
4RL	4	-	.062" x .400"

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q



**TAG**

**17**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
115	1	.156"	-
125	1	.250"	-
212	2	.125"	-

●●● Material Options: B,C,F,H,I,J,N,O,Q



**TAG**

**18**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-
212	2	.125"	-

●●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**NOTE:** Characters Per Line are based on a 4mm Font Size.

- - SmartTag™ 4500 & 2500 compatible
- - SmartTag™ 1100 compatible
- - HAY-40B compatible
- - MobileTag™ 600 compatible

See page 40 for Material Options description

# RECTANGULAR SINGLE TAGS

(Continued)

## Military Dog Tag

(Rolled Edge)




**1.12" x 2.00"**  
(28.5mm x 50.8mm)

**TAG 19**

● Max. No. of Lines: 4 Max No. of Characters Per Line: 14

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
114	1	.140"	-
214	2	.140"	-
2RL	2	-	.062" x .400"

●●● Material Options: F,H,K,L



**1.53" x 2.69"**  
(38.9mm x 68.3mm)

**TAG 22**

● Max. No. of Lines: 7 Max No. of Characters Per Line: 21

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
156	1	.156"	-
212	2	.125"	-
215	2	.156"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q

## Medical Alert Tag



**1.25" x 2.25"**  
(28.5mm x 50.8mm)




**TAG 10**

Max. No. of Lines: 5 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
114	1	.140"	-
215	2	.156"	-
425	4	.250"	-

●● Material Options: B, C, F, H, I, J, N, O, Q




**1.56" x 3.50"**  
(39.6mm x 88.9mm)

**TAG 23**

● Max. No. of Lines: 7 Max No. of Characters Per Line: 26

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
115	1	.156"	-
125	1	.250"	-
137	1	.375"	-
212	2	.125"	-
215	2	.156"	-
225	2	.250"	-
1LG	1	-	.125" x .500"
4RL	4	-	.062" x .400"

●●● Material Options: B,C,D,E,H,I,J,K,L,M,N,O,Q



**1.37" x 3.75"**  
(34.8mm x 95.3mm)

**TAG 20**

● Max. No. of Lines: 6 Max No. of Characters Per Line: 29

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
121	1	.218"	-
221	2	.218"	-

●●● Material Options: 0



**1.57" x 3.15"**  
(39.9mm x 80mm)

**TAG 24**

● Max. No. of Lines: 7 Max No. of Characters Per Line: 24

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q



**1.45" x 1.29"**  
(36.8mm x 32.8mm)

**TAG 21**

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
122	1	.220"	-


●●● Material Options: B,C,F,H,I,J,K,L,N,O,Q

### NOTE:

Characters Per Line are based on a 4mm Font Size.

- - SmartTag™ 4500 & 2500 compatible
  - - SmartTag™ 1100 compatible
  - - HAY-40B compatible
  - - MobileTag™ 600 compatible
- See page 40 for Material Options description

# The Strongest Around™



**1.72" x 3.50"**  
(43.7mm x 88.9mm)


**TAG**

**25**

● Max. No. of Lines: 8 Max No. of Characters Per Line: 25

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188"	-
215	2	.156"	-
218	2	.188"	-

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q



**2.00" x 3.00"**  
(50.8mm x 76.2mm)


**TAG**

**28**

● Max. No. of Lines: 9 Max No. of Characters Per Line: 22

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
212	2	.125"	-
HLG	1	-	.125" x .500"

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q Luggage Slot



**1.72" x 3.50"**  
(43.7mm x 88.9mm)

**TAG**

**26**

● Max. No. of Lines: 8 Max No. of Characters Per Line: 25

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
109	1	.093"	-
115	1	.156"	-
118	1	.188"	-
125	1	.250"	-
128	1	.281"	-
150	1	.500"	-
209	2	.093"	-
215	2	.156"	-
221	2	.216"	-
225	2	.250"	-
420	4	.200"	-
425	4	.250"	-
2TN	2	-	.188" x .063"

●●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O



**1.96" x .79"**  
(49.8mm x 20mm)

**TAG**

**50**

● Max. No. of Lines: 1 Max No. of Characters Per Line: 15

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
1SL	1	-	.039" x 3.15"

●●● Material Options: B,I,J,K



**1.77" x .63"**  
(44.6mm x 16mm)

**TAG**

**51**

● Max. No. of Lines: 2 Max No. of Characters Per Line: 15

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
2SL	2	-	.059" x .334"

●●● Material Options: B,I,J,K



**3.15" x .79"**  
(80mm x 20mm)

**TAG**

**52**

● Max. No. of Lines: 3 Max No. of Characters Per Line: 20

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
123	1	.236"	-

●●● Material Options: B,I,J,K



**1.87" x 2.42"**  
(47.5mm x 61.5mm)

**TAG**

**27**

● Max. No. of Lines: 9 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-

●●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**3.35" x .70"**  
(85mm x 17.8mm)

**TAG**

**53**

● Max. No. of Lines: 2 Max No. of Characters Per Line: 18

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
4RL	4	-	.078" x .354"

●●● Material Options: B,I,J,K



## RECTANGULAR SINGLE TAGS

(Continued)



**3.5" x 1"**  
(89mm x 25mm)



**TAG 54**

● Max. No. of Lines: 2 Max No. of Characters Per Line: 15

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
2VSL	2	.078"	.118" x .470"
2VSL2-R	2		.56" x .099"

●●● Material Options: I, R



**1.89" x 1.89"**  
(48mm x 48mm)



**TAG 55**

● Max. No. of Lines: 2 Max No. of Characters Per Line: 15

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
120-R	4	.130"	-

●●●● Material Options: B, I, J, K



**2.12" x 3.37"**  
(53.8mm x 85.6mm)

**TAG 29**

● Max. No. of Lines: 10 Max No. of Characters Per Line: 24

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188" (corner)	-
120	1	.203" (corner)	-
125	1	.250" (centered)	-
137	1	.375" (centered)	-
150	1	.500"	-
215	2	.156"	-
225	2	.250"	-
415	4	.156"	-
1LG	1	-	.125" x .500"
2TN	2	-	.188" x .063"

●●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q



**2.82" x 3.75"**  
(25.4mm x 50.8mm)

**TAG 30**

● Max. No. of Lines: 12 Max No. of Characters Per Line: 26

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
125	1	.250"	-
215	2	.156"	-
225	2	.250"	-
415	4	.156"	-

●●● Material Options: B, C, D, E, F, K, L, M, N, O, Q



**2.87" x 4.00"**  
(72.9mm x 101.6mm)

**TAG 31**

● Max. No. of Lines: 13 Max No. of Characters Per Line: 33

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188" *	-
215	2	.156"	-

●●● Material Options: B, C, D, E, F, I, J, K, L, M, N, O, Q

\* Centered on 4" Side

- - SmartTag™ 4500 & 2500 compatible
  - - SmartTag™ 1100 compatible
  - - HAY-40B compatible
  - - MobileTag™ 600 compatible
- See page 40 for Material Options description

**NOTE:** Characters Per Line are based on a 4mm Font Size.

## VARIABLE-WIDTH COMBO TAGS

**NOTE:** Tags 32, 33 and 34 are NOT available for 24 Hour Embossing Service

**TAG  
32**

**.75" up to 12" Wide**  
(19mm up to 304.8mm Wide)

Order Code	# of Slots	Hole Size	Slot Size
000	0	-	-
IRL	1	-	.062" x .400"

● Material Options: A,G,I

**TAG  
33**

**1.25" up to 6" Wide**  
(31.75mm up to 152.4mm Wide)

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
114	1	.140"	-
215	2	.156"	-
425	4	.250"	-

● Material Options: P

**TAG  
34**

**2.12" up to 6" Wide**  
(53.8mm up to 152.4mm Wide)

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-
4RL	4	-	.062" x .400"

● Material Options: B,C,F,N




# RECTANGULAR COMBO TAGS

**1.72" x 3.50"**  
(43.7mm x 88.9mm)

Overall Tag Size

Two (2) Finished Tags



**TAG**

**35**

● Max. No. of Lines/Tag: 3 Max No. of Characters Per Line: 19

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-
4RL	4	-	.062" x .400"

●●● Material Options: B, C, F, N, O

**2.12" x 3.37"**  
(53.8mm x 85.6mm)

Overall Tag Size

Two (2) Finished Tags



**TAG**

**36**

● Max. No. of Lines/Tag: 4 Max No. of Characters Per Line: 19


Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
125	1	.250"	-
215	2	.156"	-
225	2	.250"	-
4RL	4	-	.062" x .400"

●●● Material Options: B, C, F, N, O

**2.12" x 3.37"**  
(53.8mm x 85.6mm)

Overall Tag Size

Three (3) Finished Tags



**TAG**

**37**

● Max. No. of Lines/Tag: 2 Max No. of Characters Per Line: 18


Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-
4RL	4	-	.078" x .354"

●●●

**2.12" x 3.37"**  
(53.8mm x 85.6mm)

Overall Tag Size

Four (4) Finished Tags



**TAG**

**38**

● Max. No. of Lines/Tag: 1 Max No. of Characters Per Line: 18


Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
118	1	.188"	-
119	1	.198"	-
215	2	.156"	-
218	2	.188"	-
219	2	.198"	-
4RL	4	-	.062" x .400"

●● Material Options: B, C, F, N, O

**2.36" x 3.37"**  
(59.9mm x 85.6mm)

Overall Tag Size

Five (5) Finished Tags



**TAG**

**39**

● Max. No. of Lines/Tag: 1 Max No. of Characters Per Line: 24

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
115	1	.156"	-
215	2	.156"	-

●● Material Options: O

**NOTE:** Characters Per Line are based on a 4mm Font Size.



- - SmartTag™ 4500 & 2500 compatible
- - SmartTag™ 1100 compatible
- - HAY-40B compatible
- - MobileTag™ 600 compatible

See page 40 for Material Options description



## OCTAGONAL TAGS

NOTE: Tags on this page are  
NOT available for 24 Hour Embossing Service



**TAG**  
**43**

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-

● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**TAG**  
**44**

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-

● Material Options: B,C,F,H,I,J,K,L,N,O,Q

## ID Plates



Hayata Part No.	Length		Width		Thickness	
	In	mm	In	mm	In	mm
T-6334	2.48	63	1.33	34	0.010	0.26
T-8996	3.50	89	3.77	96	0.010	0.26
T-6008	2.36	60	0.31	8	0.010	0.26

● Material: Stainless Steel - uncoated



Hayata Part No.	Length		Width		Thickness	
	In	mm	In	mm	In	mm
T-8919B	3.50	89	0.75	19	0.15	0.38

● Material: Stainless Steel - uncoated

For automatic round tag  
embossing capability,  
please call us.

## Round Tags



**TAG**  
**40**

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-

●● Material Options: B,C,F,H,I,J,K,L,N,O,Q



**TAG**  
**41**

Order Code	# of Holes/Slots	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-

●● Material Options: B,C,F, H,I,J,K,L,N,O,Q



**TAG**  
**42**

Order Code	# of Holes	Hole Size	Slot Size
000	0	-	-
112	1	.125"	-
125	1	.250"	-

●● Material Options: B,C,D,E,F,I,J,K,L,M,N,O,Q

For automatic round tag  
embossing capability,  
please call us.