

# STAINLESS STEEL BANDING



Hayata's **stainless steel banding** can be used in virtually all indoor, outdoor and underground (including direct burial) applications.

## THE STRONGEST AROUND!

- Resistance to chemicals and salt sprays
- Non-toxic, halogen-free



316 grade stainless steel

High strength, non-flammability and rounded edges provide the definitive support for network cables.



Excellent resistance to temperature extremes, corrosion, weather, chemicals, salt sprays and UV radiation.



## COATED BANDING



### Hayata Super Coated Band (Black) 316 SS • 82.5 ft.



COATED Part No.	THICKNESS		WIDTH		WEIGHT		BUCKLE TYPE	BUCKLE TYPE Part No.	PACKAGING
	In	mm	In	mm	Lb	Kg			
CB3162	.048	1.22	1/4	6.35	3	1.4	Wing Seal 316 SS	CBWS3162	10 Rolls Per Box
CB3163	.048	1.22	3/8	9.53	2.75	1.25		CBWS3163	
CB3164	.048	1.22	1/2	12.7	3.75	1.7		CBWS3164	
CB3165	.048	1.22	5/8	15.88	4.4	2		CBWS3165	
CB3166	.048	1.22	3/4	19	5.2	2.36		CBWS3166	

**Hayata Application Tools:** BT200, RT400, BTX8000

**Applications:** Marine, Corrosive, Vibration

**Approval:** DNV Approved, ABS Type Approval, PPA Material available upon request



### Hayata Super Coated Band 316 SS • Custom Lengths



COATED Part No.	LENGTH		WIDTH		THICKNESS COATED		MAX BUNDLE DIAMETER		BAG Wt. Lb	PACKAGING		
	In	mm	In	mm	In	mm	Min	Max		Ties Per Bag	Bags Per Box	Bag (LxWmm)
CB3165-18WBKL	18	457	5/8	15.88	.048	1.22	4.8	122	1	25	4	380x230
CB3165-24WBKL	24	610	5/8	15.88	.048	1.22	6.7	170	1.3	25	4	380x230
CB3165-30WBKL	30	762	5/8	15.88	.048	1.22	8.6	218	1.6	25	4	510x230

**Hayata Application Tools:** BT200, RT400, BTX8000

**Applications:** Marine, Corrosive, Vibration

**Approval:** DNV Approved, ABS Type Approval, PPA Material available upon request

## COATED BANDING KIT

The Hayata Coated Banding Kit comes with five rolls of 1/2" or 5/8" banding, five boxes of matching buckles, an RT400 Banding Tool and a Hayata tool box.



Part No.	Size	Includes
MKit-4	1/2"	CB3164 x 5 Rolls, CBWS3164 x 5 Boxes, RT-400 x 1 Tool and Tool Box
MKit-5	5/8"	CB3165 x 5 Rolls, CBWS3165 x 5 Boxes, RT-400 x 1 Tool and Tool Box

**To Order:** US Toll-Free: 833-862-1668 • [www.Hayata.com](http://www.Hayata.com) • [sales@Hayata.com](mailto:sales@Hayata.com)

# STAINLESS STEEL BANDING



All coated bands are 316 grade stainless steel for excellent resistance to temperature extremes, corrosion, weather, chemicals, salt sprays and UV radiation.



- Resistance to chemicals and salt sprays
- Non-toxic, halogen-free
- DNV Approved



## Hayata Super Band • 201 SS • 100 ft.

Part No.	THICKNESS		WIDTH		WEIGHT		BUCKLE TYPE	BUCKLE TYPE Part No.	TENSILE STRENGTH	PACKAGING
	In	mm	In	mm	Lb	Kg				
SB2012	.020	0.51	1/4	6.35	1.7	0.77	Tiger Teeth Wing Seal Screw Buckle 201 SS	TB2002, WS2012	475	5 Rolls Per Box
SB2013	.025	0.63	3/8	9.53	3.2	1.45		TB2003, WS2013, SBU2013	1,040	
SB2014	.030	0.76	1/2	12.7	5.1	2.3		TB2004, WS2014, SBU2014	1,710	
SB2015	.030	0.76	5/8	15.88	6.4	2.9		TB2005, WS2015	1,940	
SB2016	.030	0.76	3/4	19.05	7.7	3.5		TB2006, WS2016, SBU2016	2,290	
SB2016-020	.020	0.51	3/4	19.05	5.1	2.31		TB2006, WS2016, SBU2016	1,275	

**Hayata Application Tools:** BT200, \*JR100, TT2400, PT500, RT400, BTX8000

**Applications:** General Fastening Applications and Utility Poles Cable

**Approval:** DNV Approved, ABS Type Approval



See Page 29  
for Buckles and  
Wing Seals



## Hayata Tough Band • 316 SS • 100 ft.

Part No.	THICKNESS		WIDTH		WEIGHT		BUCKLE TYPE	BUCKLE TYPE Part No.	TENSILE STRENGTH	PACKAGING
	In	mm	In	mm	Lb	Kg				
SB3162	.020	0.51	1/4	6.35	1.7	0.77	Tiger Teeth 316 SS	TB3162	450	5 Rolls Per Case
SB3163	.025	0.63	3/8	9.53	3.2	1.45		TB3163	800	
SB3164	.030	0.76	1/2	12.7	5.1	2.31		TB3164	1,450	
SB3165	.030	0.76	5/8	15.88	6.4	2.9		TB3165	1,700	
SB3166	.030	0.76	3/4	19.05	7.7	3.5		TB3166	2,100	
SB3165-020	.020	0.51	5/8	15.88	6.4	2.9		TB3165	1,000	
SB3165-015-2	.015	0.38	5/8	15.88	7.0	3.18		TB3165	880	

**Hayata Application Tools:** BT200, \*JR100, TT2400, PT500, RT400, BTX8000

**Applications:** Corrosive Fastening Applications, Marine

**Approval:** DNV Approved, ABS Type Approval

\*JR100 only works with 1/4" and 3/8" banding

## STAINLESS STEEL BANDING



See Page 29  
for Buckles and  
Wing Seals

### Hayata Giant Band • 201 SS • 100 ft.



Part No.	THICKNESS		WIDTH		WEIGHT		BUCKLE TYPE	BUCKLE TYPE Part No.	TENSILE STRENGTH	PACKAGING
	In	mm	In	mm	Lb	Kg				
GB2016	.44	1.12	3/4	19.05	11.6	5.3	Heavy Duty 201 SS	HDB6	3,300	10 Rolls Per Case
GB2017	.44	1.12	1	25.4	13.7	6.2		HDB7	4,500	
GB2018	.44	1.12	1-1/4	31.75	17.2	7.8		HDB8	5,400	

**Hayata Application Tools:** GT6000

**Applications:** Utility Poles, Heavy Duty Applications

**Approval:** DNV Approved



### Hayata Lite Band • 300SS • 100 ft.



Part No.	THICKNESS		WIDTH		WEIGHT		BUCKLE TYPE	BUCKLE TYPE Part No.	TENSILE STRENGTH	PACKAGING
	In	mm	In	mm	Lb	Kg				
LB300153	.015	0.38	3/8	9.53	2.2	1	Tiger Teeth Wing Seal Screw Buckle 201 SS 304 SS 316 SS	TB2003, WS2013, SBU2013		5 Rolls Per Case
LB300154	.015	0.38	1/2	12.7	2.9	1.3		TB2004, WS2014, SBU2014		
LB300155	.015	0.38	5/8	15.88	3.6	1.6		TB2005, WS2015		
LB300156	.015	0.38	3/4	19.05	6.1	2.8		TB2006, WS2016, SBU2016		
LB300203	.020	0.51	3/8	9.53	2.8	1.2		TB2003, WS2013, SBU2013	600	
LB300204	.020	0.51	1/2	12.7	3.8	1.7		TB2004, WS2014, SBU2014	850	
LB300205	.020	0.51	5/8	15.88	4.8	2.25		TB2005, WS2015	1000	
LB300206	.020	0.51	3/4	19.05	5.7	2.6		TB2005, WS2015	1250	
LB300253	.025	0.63	3/8	9.53	3.2	1.5		TB2003, WS2013, SBU2013		
LB300254	.025	0.38	1/2	12.7	4.6	2.1		TB2004, WS2014, SBU2014	1000	
LB300255	.025	0.63	5/8	15.88	6.1	2.8		TB2005, WS2015	1250	
LB300256	.025	0.63	3/4	19.05	6.8	3.1		TB2006, WS2016, SBU2016	1590	

**Hayata Application Tools:** BT200, \*JR100, TT2400, PT500, RT400, BTX8000

**Applications:** Lite Duty Applications, Cable, Signs, Strapping Insulation

**Approval:** DNV Approved

\*JR100 only works with 1/4" and 3/8" banding